

## UNIVERSAL TRACTOR FLUID

Formulated to provide superior corrosion protection, minimized wet brake and clutch chatter for a smoother operation while still maintaining excellent anti-wear properties to make for a longer bearing and hydraulic pump life. BOSS Lubricants' Universal Tractor Fluid is recommended for use in power shifts, hydrostatic, manual transmissions, differentials, final drives, wet brakes and clutches in both farm and construction equipment, off highway vehicles and industrial tractors.

SPECIFIC GRAVITY @ 15°C	0.8629
KINEMATIC VISCOSITY CST @ 40°C	60.89
KINEMATIC VISCOSITY CST @ 100°C	9.53
VISCOSITY INDEX	139
FLASH POINT, °C	N/A
POUR POINT, °C	-42
BROOKFIELD VISCOSITY, @ -35°C	37500
COLOR	1

### APPLICATIONS

#### MEETS AND EXCEEDS REQUIREMENTS FOR:

- 23M & 24M
- SPERRY VICKERS/EATON: I-286-S INDUSTRIAL HYDRAULICS, M-2950-S MOBILE HYDRAULICS

*In order to continue to provide superior quality, BOSS LUBRICANTS reserves the right to change composition of its products without notice. For the location of the Distributor nearest you, please call 1-800-844-9457. BOSS LUBRICANTS #112, 6303 30th Street S.E. Calgary, AB T2C 1R4*



## UNIVERSAL TRACTOR FLUID

### APPLICATIONS

#### MEETS AND EXCEEDS REQUIREMENTS FOR:

- SAUER SUNSTRAND/DANFOSS & HYDRO STATIC TRANS FLUIDRESSER
- ALLISON: C-2, C-3, C-4
- MASSEY FERGUSON: 1103 A & B, M1110, 1127 A & B, M1129, M1129A (PERMATRAN), M1135 (PERMANTRAN III), M1138, M1139 (STOU), M1141, M1143, M1144 (STOU), M1145
- DEUTZ ALLIS-CHALMERS POWER FLUID 821XL, 25741, 25743, 246634, 272843LANDINI
- CNH MAT: 3505, 3510, 3526, 3540
- INTERNATIONAL HARVESTER HY-TRAN B-6 INDUSTRY OF MACHINERY & TRACTORS (IMT)JAPANESE CONSTRUCTION MECHANIZATION ASSOCIATION (JCMAS); HK P-041 & P-042
- FIAT HESTON: AF-87
- KIOIKOMATSU KES 07.866, AX080KOMATSU-DRESSER B06.0002 KUBOTA UDT FLUID
- API: GL-4
- CAT: TO-2QUATROLRENK-DOROMAT: 87.3 & 874 A/B
- AGCO 821XL
- J.I CASE: MS- 143, 144, 145 INTERNATIONAL FARMALL (TCH FLUID), 185 (TFD FLUID), 1204 1205 & 1206 (POWERGARD PFT), 1207, 1209 (HYTRAN ULTRA OR MULTI TRAN), 1210, 1216, 1230 (POCLAIN EQUIPMENT), 1317J.I CASE: CASE-O-MATIC TYPE A
- JOHN DEERE: J20A, J20B, J20C, J21A, J14 A-C, JTD 303
- FORD: ESN-M2C; A-C, 41, 41A & B, 43, 48B & C, 53A & B, 77A, 78A, 79A, 86 A-C, 92A, 134A-D (NH-410B), 142A, 143, 159A-C, FORD FNHA-2-C: 200, 201FORD NEW HOLLAND: M4864A & B
- PARKER (DENISON UTTO): HF-0, HF-1, HF-2
- STEIGER HTF (SEMS 17001)

*In order to continue to provide superior quality, BOSS LUBRICANTS reserves the right to change composition of it's products without notice. For the location of the Distributor nearest you, please call 1-800-844-9457. BOSS LUBRICANTS #112, 6303 30th Street S.E. Calgary, AB T2C 1R4*



## UNIVERSAL TRACTOR FLUID

### APPLICATIONS

#### MEETS AND EXCEEDS REQUIREMENTS FOR:

- VERSATILE GEAR AND HYD-TRANS FLUIDVOLVO: WB101 (VCE97303), EXCEPT FOR MOTOR GRADER REAR AXLE, VCE 1273.03WET BRAKE APPLICATIONS
- VICKERS 35VQ25
- WHITE/MINNEAPOLIS-MOLINE/OLIVER/ NEW IDEA: 55, 5J, Q-1705, Q-1722, Q-1766, Q-1766B, Q-1802, Q-1826
- VALMET VALTRACTORES YANMAR

*In order to continue to provide superior quality, BOSS LUBRICANTS reserves the right to change composition of its products without notice. For the location of the Distributor nearest you, please call 1-800-844-9457. BOSS LUBRICANTS #112, 6303 30th Street S.E. Calgary, AB T2C 1R4*

